

PUBLISHED BY AUTHORITY

सं 451

नई दिल्ली, शनिवार, नवम्बर 7, 1992 (कार्तिक 16, 1914)

No. 45]

NEW DELHI, SATURDAY, NOVEMBER 7, 1992 (KARTIKA 16, 1914)

इस माग में भिन्न पुछ संख्या दी जाती है जिससे कि यह अलग संकलन के रूप में रखा जा सके [Separate paging is given to this Part in order that it may be filed as a separate compilation]

# भाग III—खण्ड 2 IPART III—SECTION 21

पेटेस्ट कार्यालय द्वारा जारी की गई पेटेस्टों और डिजाइनों से सम्बन्धित अधिसचनाएं और नोटिस [Notifications and Notices Issued by the Patent Office relating to Patents and Designs]

### THE PATENT OFFICE

#### PATENTS AND DESIGNS

Calcutta, the 7th November 1992

# ADDRESS AND JURISDICTION OF OFFICES OF THE PATENT OFFICE

The Patent Office has its Head Office at Calcutta and Branch Offices at Bombay, Delhi and Madras having territorial Jurisdiction on a zonal basis as shown below:-

Patent Office Branch, Todi Estates, IH Floor, Lower Parel (West), Bombay-400 013.

The States of Gujarat, Maharashtra and Madhya Pradesh and the Union Territories of Goa, Daman and Diu and Dadra and Nagar Haveli.

Telegraphic address "PATOFFICE".

Patent Office Branch, Unit No. 401 to 405, III Floor, Municipal Market Building, Saraswati Marg, Karol Bagh, New Delhi-110 005.

The States of Haryana, Himachal Pradesh, Iammu and Kashmir, Punjab, Rajasthan and Uttar Pradesh and the Union Territories of Chandigarh and Delhi.

Telegraphic address "PATENTOFIC".

Patent Office Branch, 61, Wallajah Road, Madras-600 002.

The States of Andhra Pradesh, Karnataka, Kerala, Tamilnadu and the Union Territories of Pondicherry, Laccadive, Minicoy and Amindivi Islands.

ह्यालय बन्यालय बन्यालय REGISTERED NO. DL—33001/92

Telegraphic address "PATENTOFIS".

Patent Office (Head Office), "NIZAM PALACE", 2nd M.S.O. Building, 5th, 6th and 7th Floor, 234/4, Acharya Jagadish Bose Road, Calcutta-700 020.

Rest of India.

Telegraphic address "PATENTS".

All applications, notices, statements or other documents or any fees required by the Patents Act, 1970 or the Patents Rules, 1972 will be received only at the appropriate Offices of the Patent Office.

Fees:—The fees may either be paid in cash or may be sent by Money Order or Postal Order, payable to the Controller at the appropriate Offices or by bank draft or cheque, payable to the Controller drawn on a scheduled bank at the place where the appropriate office is situated.

(1311)

1-317 GI/92

## पेट कार्यालय

एकस्य तथा अभिकाय

अवकत्ता, दिनांक 7 नवस्वर 1992

पंटांट कार्यालय के कार्यालयों के पक्षे एवं क्षेत्राधिकार

पेटेंट कार्यालय का प्रधान कार्यालय कलकत्ते में अवधित हैं तथा सम्बर्ट, दिल्ली एनं मदास में इसके शाखा कार्यालय हाँ, जिनके प्रावेदिक क्षंत्राधिकार ओन के आधार एक निम्न स्पानि प्रविधित हाँ:~~

पेटांट कार्शालय शासा, टांशी इस्टांट, सीमरा रुल, लीवर पराल (परिचम), पम्बद्धा-400013 ।

गाजरात. महाराष्ट्र तथा भध्य इक्ष्म राज्य ऑक एवं संघ जासिस क्षेत्र सोजा, यभन सथा विव एवं वायरा और नागर हवेती ।

नार पता---"पॅटोपिक्से"

पंटरेंट क्रागलिय शाखा, एकक सं. 401 से 405, मीमण तल, नगरपालिका बाजार भवन, सरस्वती मार्ग, करोल क्षाग, मर्थ दिल्ली-110005 ।

हरियाणा, हिमाचन प्रविश्व, जन्मू तथा करमीर पंजाण, राजस्थान तथा उत्तर प्रविश्व राज्य क्षेत्रे एवं संघ शासित क्षेत्र चंडीगृत तथा दिल्ली ।

मार् पता--"पेर टाफिक"

## GOVERNMENT OF INDIA

## THE PATENT OFFICE

Calcutta, the 17th November 1992

APPLICATION FOR PATENTS HILFD AT THE HEAD OFFICE 234/4, ACHARYA JAGADISH BOSE ROAD, CALCUTTA-20

The dated shown in the cresent branch are the dates claim ed under section 135, of the patents Act, 1970

# The 24th September 1992

- 687/Cal/92 San-Lin Huang. A method of manufacturing a corrugated (Or Flat) Board for a Desk of a Truck or a Container.
- 688/Cal/92 Catalysts & Chemicals Eurpoe S.A. Reforming

#### The 25th September 1992

- 689 'Cal/92 The Indian Association for the Cultivation of Science. Process for preparing novel Dispersions of Electricaly Conducting Polyanilines.
- 690/Cal/92 Hoechst Aktiengesellschaft. Water-soluble azo compounds, preparation thereof and use thereof as dyes,

पेटाँट कार्यालय शाखा, 61, बालाजाह रोड, सदस-600002 ।

आन्ध्रप्रदोश, कर्नाटक, करेल, तमिलनाड्य राज्य क्षेत्र एवं संघ शासित क्षेत्र पाण्डिचेरी, लक्षद्वीप मिनिकाय तथा अफिनिदिवि द्वीप ।

ाग पहा---''पेटां फिस''

पेटांट कार्यालय (श्रमान कार्यालय) निजाम पैलेस, दिवतीय बहुमलीय कार्यालय, भवर्य, 5, 6 तथा 7वां वज, 234/4, श्राचार्य अग्रद्धा जोस शहर, ध्यक्ता-700020 ।

भाग्रा का अवशेष क्षेत्र

शार पता---"पेटर्ट्म"

पेटॉट अधिनियम, 1970 या पेटॉट नियम, 1972 में अपे-िक्षत सभी आवेदन पत्र, सूचनाएं, विवरण या अन्य प्रलेख पेटॉट कार्यालय के केवल उपर्युक्त कार्यालय में ही प्राप्त किए जाएंगे।

श्रुक्त :— श्रुक्तों की अधायगी या तो नकद की आएगी अधना उपयुक्त कार्यालय में नियंत्रक को भूगतान सोग्य धनादिश अधना डाक आदोश या जहां उपयुक्त कार्यालय अवस्थित हैं; उस स्थान के अनुस्थित बेंक से नियंत्रण को भूगतान योग्य बेंक ड्राफ्ट अधना चैक द्वारा की जा सकती हैं।

691/Ctd/92 Hitchi Construction Machinery Co. Ltd., Hydraulic Drive System for Construction Machine.

#### The 28th September 1992

- 692 Cal/92 Dr. Brahma Dutt Tripathi, Stack Polution Controller.
- 693 Cal/ 92 Merck Patent Gesellschaft mit beschrankter Haftung, Pigments.
- 694/Cal/92 Metallgesellschaft Aktiengesellschaft. Process of Drying water-containing solids in a fluidized bed.
- 695/Cal/92 Phillips Petroleum Company. O'leitn Polymerization.
- 696 'Cal.'92 E.I. Du Pont De Nemours and Company. Substantially Constant Boiling Compositions of Diffuoromethane and Trifluorocthane or Perfluoroethane.
- 697/Cal/92 E.I. Du Pont De Nemours and Company. Production of Glyoxylic acid by oxidizing gylcolic acid in the presence of immobilized glycolate oxidase and catalase.
- 698/Cal/92 Kerr-Megee Chemical Corporation Attenuation of polymer substrate degradation due to ultraviolet Radiation.
- 699/Cal/92 Wago Verwarungesellschaft m.h. Collective Connector for electrical distribution systems

The 29th September 1992

# 700/Cal/92 Remy Linus of Latonah Mission. A Novel Engine for driving automobiles and other machines.

- 701/Cal/92 Frigoscandia Food Process Systems AB. Air Treatment Plant for Foodstuffs.
- 702/Cal/92 Frigoscandia Food Process Systems AB. Air Treatment Plant for Foodstuffs.
- 703/Cal/92 Frigoscandia Food Process Systems AB. Air Treatment Plant for Foodstuffs.
- 704/Cal/92 Du Pont Canada Inc. Catalyst for Ethylene Polymerization at high Temperatures. (Convention No. 9121033; dated 03-10-1991; United Kingdom).
- 705/Cal/92 Du Pont Canada Inc. Activation of Catalist in Ethylene polymerization at high temperatures. (Convention No. 9121019; dated 3-10-91; U.K.).
- 706/Cal/92 Du Pont Canada Inc. Control of a solution process for polymerization of ethylene. (Convention No. 9120971; dated 3-10-91; United Kingdom).
- 707/Cal/92 Eaton Corporation. Closed Loop Launch and Creep control for automatic clutch with robust algorithm.
- 708/Cal/92 Eaton Corporation. Closed Loop Launch and Creep control for automatic clutch.
- 709/Cal/92 Indian Jute Industries Research Association.

  Method of feeding the lead end of sliver at the drawing stages of jute processing for an improved of quality.
- 710/Cal/92 Mitutoyo Corporation. Simple three-dimensional measuring machine.

#### COMPLETE SPECIFICATION ACCEPTED

Notice is hereby given that any person interested in opposing the grant of patents on any of the Applications concerned, may, at any time within four months of the date of this issue or within such further period not exceeding one month applied for on Form 14 prescribed under the Patents Rules, 1972 before the expiry of the said period of four months, give notice to the Controller of Patents on the prescribed Form 15 of such opposition. The written statement of opposition should be filed alongwith the said notice or within one month of its date as prescribed in Rule 36 of the Patents Rules, 1972.

The classifications given below in respect of each specification are according to Indian Classification and International Classification.

A limited number of printed copies of the specifications listed below will be available for sale from the Government of India Book Depot, & Kiran Sankar Roy Road, Calcutta, in due course. The price of each specification is Rs. 2/- (postage extra). Requisition for the supply of the printed specifications should be accompanied by the number of the specifications as shown in the following list.

Typed or photo copies of the specifications together with photo copies of the drawings, if any, can be supplied by the Patent Office, Calcutta on payment of the prescribed copying charges which may be ascertained on application to that office. Photo copying charges may be calculated by adding the number of pages in the specification and drawing sheets mentioned below against each accepted specification and multiplying the same by four to get the charges as the copying charges per page are Rs. 4/-

# स्वीकृत सम्पूर्ण विनिद्रश

एतद्द्वारा यह सूचना दी जाती है कि सम्बद्ध आवेदनों में से किसी पर पेटेंट अनुदान का विरोध करने के इच्छुक कोई व्यक्ति, इसके निर्गम की तिथि से 4 महीने या अप्रिम एसी अविधि जो उक्त 4 महीने की अविधि की समाप्ति के पूर्व पेटेंट नियम, 1972 के तहत विहित प्रपत्र 14 पर आवेदित एक महीने की अविधि से अधिक न हो, के भीतर कभी भी नियंत्रक, एकस्व को एसे विरोध की सूचना विहित प्रपत्र 15 पर दे सकते हैं। विरोध संबंधी लिखित वक्तव्य, उक्त सूचना के साथ अथवा पेटेंट नियम, 1972 के नियम 36 में यथा विहित इसकी तिथि के एक महीने के भीतर ही फाइल किए जाने चाहिए।

"प्रत्येक विनिद्धा के संदर्भ में नीचे दिए वर्गीकरण, भारतीय वर्गीकरण तथा अंतर-राष्ट्रीय वर्गीकरण के अनुरूप हैं।"

नीचे सूचीगत विनिद्देशों को सीमित संख्यक मृद्रित प्रतियां, भारत सरकार बुक डिपो, 8, किरण शंकर राय रोड, कलकत्ता में विकय होतु यथा समय उपलब्ध होंगी । प्रत्येक विनिद्देश का मृत्य 2/- रु. है। (अतिरिक्त डाक खर्च) । मृद्रित विनिद्देश की आपूर्ति होतु मांग-पत्र के साथ निम्निलिखित सूची में यथा प्रदक्षित विनिद्देशों की संख्या संलग्न रहनी चाहिए।

रूपांकन (चित्र आरखों) की फोटो प्रतियां यदि कोई हों, के साथ विनिद्देशों की टंकित अथवा फोटो प्रतियों की आपूर्ति पेटेंट कार्यालय, कलकत्ता द्वारा विहित लिप्यान्तरण प्रभार जिसे उक्त कार्यालय से पत्र-व्यवहार द्वारा सृनिश्चित करने के उपरांत उसकी अदायगी पर की जा सकती हैं। विनिद्देश की पृष्ठ संस्था के साथ प्रत्येक स्वीकृत विनिद्देश के सामने नीचे विणित चित्र आरखे कागजों को जोड़कर उसे 4 से गुणा करके; (क्योंकि प्रत्येक पृष्ठ का लिप्यान्तरण प्रभार 4/- रह. हैं) फोटो लिप्यान्तरण प्रभार का परिकलन किया जा सकता है।

Cl.: 145. D: B: C.

171521

Int, Cl. : D 21 H 1/00; 3/00. D 21 F 1/00.

MULTI-PLY PAPER FIBRE WEB FORMING APPARATUS & METHOD.

Applicant: BELOIT CORPORATION. OF P.O. BOX 350, BELOIT, WISCONSIN 53511, UNITED STATES OF AMERICA.

Inventors: (1) PAUL THOMAS GRAY. (2) JAMES ARTHUR TURNER.

Application No. 338/Cal/88; filed on April 27, 1988.

(Convention No. 8710428; filed on 01-05-1987; U.K.).

Appropriate office for opposition Proceedings (Rule 4, Patent rule 1972) Patent Office, Calcutta.

#### 20 Claims


Apparatus for forming a multi-ply paper fiber web in conjunction with the fourdrinier wire on a fourdrinier-type paper-making machine, the apparatus comprising:

means for forming a base ply web on the fourdrinier wire;

- a top former disposed above the foundrinier for forming at least a single top web ply, said top former having;
- (a) first and second looped forming wires in co-running opposed array for a portion of their travel.
- (b) guide means within each of the first and second forming wires to converge them to define a throat, and to diverge them downstream thereof at the end of their co-running path of travel,
- (c) a headbox for supplying a stream of stock to the throat to initiate formation of a top web ply between the first and second forming wires,

- (d) a curved forming shoe within the second looped forming wire for dewatering the top web ply through its second face surface,
- (e) a first auto-slice within the first looped forming wire downstream of the forming shoe,
- (f) a first curved dewatering shoe disposed within the second forming wire downstream of the first auto-slice,
- (g) a second curved dewatering shoe disposed within the first looped forming wire for dewatering the top web ply through its first face surface.
- (h) a web transfer box disposed within the second forming wire near where the wires diverge for urgin the web onto the second forming wire;

the second forming wire disposed to bring the first face surface of the top web ply into contact with the base ply on the fourdriner wire whereby the top and base web plys are bonded together.



Compl. speen. 20 pages.

171522

Drgns. 3 sheets.

Cl.: 101 B F

Int. Cl : E 02 D 17/00.

#### HYDRAULIC DRIVE SYSTEM

Applicant: HITACHI CONSTRUCTION MACHINERY CO. LTD OF 6-2, OHTEMACHI-2 CHOME, CHIYODA-KU, TOKYO, JAPAN.

Inventors: (1) EIKI IZUMI, (2) TOICHI HIRATA, (3) YUSAKU NOZAWA, (4) MASAHIKO SHIMOTORI.

Application No. 539/Cal/1988; filed on June 30, 1988.

Appropriate office for opposition Proceedings (Rule 4, Patent rule 1972) Patent Office, Calcutta.

#### 18 Claims

A hydraulic drive system comprising; at least one hydraulic pump; at least first and second hydraulic actuators connected to said hydraulic pump through respective main circuits and driven by dydraulic fluid delivered from said hydraulic pump; first and second flow control valve means connected to said respective main circuits between said hydraulic pump and said first and second hydraulic actuators; pump control means

for controlling a delivery presure of said hydraulic pump; each of said first and second flow control valve means comprising first valve means having an opening degree variable in response to the operated amount of an operation means such as a control lever herein defined and second valve means connected in series with said first valve means for controlling a differential pressure between the inlet pressure and the output pressure of said first valve means and control means associated with each of said first and second flow control valve means for controlling said second valve means based on the input pressure and the output pressure of said first valve means, the delivery pressure of said hydraulic pump, and the maximum load pressure between said first and second hydraulic actuators, wherein;

each of said first and second flow control valve means comprises; a main valve of seat valve type having a valve body for controlling communication between an inlet port and an outlet port both connected to said main circuit, a variable restrictor capable of changing an opening degree thereof in response to displacements of said valve body, and a back pressure chamber communicating with said inlet port through said variable restrictor and producing a control pressure to urge said valve body in the valve-closing direction; and a pilot circuit connected between said back pressure chamber and said outlet port of said main valve.

said first valve means is constituted by a pilot valve connected to said pilot circuit for controlling a pilot flow passing through said pilot circuit, and said second valve means is constituted by auxiliary valve means connected to said pilot circuit for controlling a differential pressure between the inlet pressure and the outlet pressure of said pilot valve; and

said control means controls said auxiliary valve means for each of said first and second flow control valve means such that the differential pressure between the inlet pressure and the outlet pressure of said pilot valve is determined by the following equation with respect to a differential pressure between the delivery pressure of said hydraulic pump and the maximum load pressure of said first and second hydraulic actuators, a differential pressure between said maximum load pressure and the self-load pressure of each said hydraulic actuator, and the self-load pressure,

 $\Delta Pz = a (Ps - PL max) + (PL max - PL) + \gamma PL$ 


where A Pz: differential pressure between the inlet pressure and the outlet pressure of the pilot valve

Ps: delivery pressure of the hydraulic pump

PL max: maximum load pressure between the first and second hydraulic actuators,

PL: self-load pressure of each of the first and second hydraulic actuators,

α, β, γ: first, second and third constants said first, second and third constants  $\alpha$ ,  $\beta$ ,  $\gamma$  being set to respective predetermined values.



Compl. speen. 105 pages.

Drgs. 20 sheets

CL :50 B

171523

Int. CL. : F 25 D 31/00.

PROCESS AND EQUIPMENT FOR THE PRODUCTION OF CRUDE GAS.

Applicant: KRUPP KOPPERS GMBH. OF ALTENDOR-FER STRASSE 120, D-4300 ESSEN 1, WEST GERMANY.


Inventor: DR. ING. HANS-GUNTER RICHARD.

Application No. 1024/Cal/1988; filed on December 14.

Appropriate office for Opposition Proceedings (Rule 4. Patent Rules, 1972) Patent Office, Calcutta.

#### 8 Claims

Process for the production of cooled crude gas which comprises subjecting to gasification fuel like powdered coal or other carbon carriers, with oxygen in a gasification reactor at a gasification temperature of between 1200 to 1700°C optionally in presence of steam, followed by withdrawing through the outlet of the reactor, a stream of hot crude gas and there-after subjecting the hot crude gas to cooling by means of process for cooling hot product gas, leaving a gasification reactor, by means of one or more cooling fluids (gaseous, vaporous or liquid) introduced into the gas stream, a part of the cooling fluids from the outside substantially radially or at an interpretable of the cooling fluids from the outside substantially radially or at an interpretable for the cooling fluids. clination to the direction of flow of the crude Gas or in the direction opposite there to, and the other part being introduced into the gas stream within the crude gas duct substantially axially against the direction of flow.



Compl. speen, 9 pages

Drgns. 2 sheets

Cl.: 35 E.

17152-

Int. Cl. : C 04 B 35/00.

METHOD FOR PRODUCING A SELF-SUPPORTING BODY.

Applicant -: LANXIDE TECHNOLOGY COMPANY. LP OF TRALEE INDUSTRIAL PARK NEWARK, DELAWARE 19711, U.S.A.

Inventors: (1) TERRY DENNIS CLAAR, (2) STEVEN MICHAEL MASON, (3) KEVIN PETER POCHOPIEN.

Application No. 1054/Cal/88; filed on December 21, 1988.

Appropriate Office for Opposition Proceedings (Rule 4, Patent rule 1972) Patent Office, Calcutta.

#### ,12 Claims

A method for producing a self-supporting body, comprising: selecting a parent metal such as herein described.

heating said parent metal in a substantially inert atmosphere to a temperature above its melting point to form a body of molten parent metal;

contacting said body of molten parent metal with a per-meable mass comprising boron carbide and a carbon donor material such as herein described;

maintaining said temperature for a time sufficient to permit infiltration of molten parent metal into said permeable mass and to permit reaction of said molten parent metal with said boron carbide to form at least one boron-containing compound; and

continuing said infiltration and reaction for a time sufficent to produce said self-supporting body comprising at least one parent metal boron-containing compound.

Compl. Specn. 32 pages.

Drgns. 3 sheets.

Cl. 141 A

171525

Int. Cl.: C 22 B 1/24.

PROCESS FOR UTILIZING OF ZINC-CONTAINING METALLURGICAL DUSTS AND SLUDGES.

Applicant: VOEST-ALPINE STAHL DONAWITZ GESE-LLSCNAFT M.B.H. OF 8700 LEOBEN-DONAWITZ, PES-TALOZZISTRASSE 128, AUSTRIA.

Inventors: (1) WALTER LUGSCHELDER. (2) LUZIAN POCHMARSKI.

Applicant No. 220/Cal/1989; filel on March 17, 1989.

Appropriate office for opposition Proceedings (Rule 4, Patent rule 1972) Patent Office, Calcutta.

#### 11 Claims

A process for utilizing a zinc-containing by product comprising at least one of zinc-containing metallurgical dust and zinc-containing metallurgical sludge derived from a streelmaking process and containing at least 30 per cent total metallic constituents by weight, essentially including iron and zinc, said process comprising;

- (a) providing a converter adapted to accept a charge of metallic material, apply heat such as to melt at least some of said charge by combustion of a fuel, and thereby produce as an output molten metal, slag and a metallurgical dust. in a melting process;
- (b) charging said converter with an iron-containing metallized charge;
  - (c) accepting a supply of said zinc-containing by-product;
- (d) analyzing the accepted zinc-containing by-product for carbon content and, if said carbon content lies outside the range of 20 to 25 per cent by weight, adjusting said carbon content to lie within said range;
- (e) agglomerating said zinc-containing by-product into agglomerates which are constituted by at least one of briquettes and pellets;

- (f) further charging said converter with said agglomerates in an amount of 2 to 8 per cent by weight of said iron containing metallized charge; and
- (g) conducting said melting process in said converter and thereby obtaining in said metallurgical dust from said converter a constant rich in metallic zinc.

Compl. Specn. 12 Pages. Drgns. Nil.

Cl.: 157 D<sub>3</sub>

171426

Int. Cl.: E 01 B, 27/00.

"A TRAVELLING ON TRACK MACHINE FOR CLEANING PERMANENT WAY, MORE ESPECIALLY THE BALLAST SURFACE OF A BALLAST BED SITUATED BENEATH A TRACK PANEL FORMED BY SLEEPERS AND RAILS".

Applicant: FRANZ PLASSER BAHNBAUMASCHINEN INDUSTRIEGESELLSCHAFT M.B.H. of A-1010 wien Johannesgasse 3, Austria.


Inventors: -(1) ING. JOSEF THEURER, (2) FRIED RICH OELLERER.


Application No. 304/Cal/1989; filed on April 20, 1989.


Appropriate Office for Opposition Proceedings (Rule 4 Patent Rule 1972) Patent Office, Calcutta.


#### 11 Claims

A travelling on track machine for cleaning permanent way, more especially the ballast surface of a ballast bed situated beneath a track panel formed by sleepers and rails, comprising a machine frame designed to travel on on-track undercarriages and a suction unit consisting of a head arrangement which is connected through a suction hose to a collecting container with filter and to a fan and with which at least one pressure nozzle connected to an air compressor by a pressure hose is associated to form a substantially closed loop pressure suction system, characterized in that the pressure nozzle (21, 46; 75, 76) connected to the pressure hose (20; 74) is arranged inside the suction mouth opening (17, 73) of the suction head arrangements. (16; 70).









Compl. Specn. 29 Pages. Drgns. 2 Sheets.

Cl.: 101 E.

171527

2 Claims

Int. Cl. : G 01 F 1/00.

"APPARATUS FOR METERING FLUID".


Applicant: TSELEVOI NAUCHNO-TEKHNICHESKY KOOPERATIV "STIMER" USSR. of Kharkov, Ulitsa Sovnarkomovskaya, 13a; Union of Soviet Socialist Republic.


Inventor: LEONID PETROVICH PROGLYADA.

Application No. 610/Cal/1989; filed on July 27, 1989.

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rule 1972) Patent Office, Calcutta.

An apparatus for metering fluid comprising a Casing having ports communicating with a fluid supply line and with passages for metered fluid discharge, a rotor having a closed interior space accommodated in said casing, said interior space being divided by partitions into measuring chambers, each having a free piston dividing this chamber into a metering space and a control space located on either side of the piston, each chamber having a port regularly communicating with the ports of the casing communicating with the metered fluid supply line and with the ports of the casing for discharging the metered fluid, a batch controller having a variable-capacity interior space communicating with all control spaces which are connected in parallel with one another.





Compl. Specn. 13 Pages. Drgns. 1 Sheet.

Cl.: 190 B.

171528

Int. Cl.: F 01 D 5/00.

"ADJUSTMENT DEVICE FOR THE RUNNER BLADES OF KAPLAN TURBINES".

Applicant: J. M. VOITH GMBH, of D-7920 Heidenheim Sankt Poltener Strabe 48 Postfach 1940, Federal Republic of Germany.

Inventor: WUST, MICHAEL,

Application No. 626/Cal/89; filed on August 02, 1989.

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rule 1972) Patent Office. Calcutta


# 8 Claims

An adjustment device (18) for the runner blades (12) of kaplan turbines (10), having the following features:

- (a) between the turbine runner (11) and a generator (22); a bevel gearing (21) which is connected to the turbine shaft (13) is located within a housing (23).
- (b) a hydraulic servomotor (17) for the adjustment of the blades is arranged on the side of the gear housing (23) facing away from the runner (11),
- (c) the cylinder (24) of the servomotor (17) is fastened on the gear housing (23) white the piston (16) is connected to a sush rod (15) for the blade adjustment which passes

coaxially through the turbine shaft (13) and rotates with the speed of rotation of the runner,

Characterised by the following further feature:
(d) the piston (16) of the servomotor (17) is rotatably secured to the push rod (15).



Compl. Specu. 10 Pages. Drgns. 1 Sheet.

Cl.: 157 C.

171529

Int. CL: E 01 B, 27/00.

"A TRACK MAINTENANCE MACHINE WITH A TRACK STABILIZER".

Applicant: FRANZ PLASSER BAHNBAUMASCHINEN INDUSTRIESESELLSCHAFT M.B.H. of A-1010 Wien, Johnnesgasse 3, Austria.

Inventor: Ing. JOSEF THEURER.

Application No. 754/Cal/1989, filed on September 14, 1989.


Appropriate Office for Opposition Proceedings (Rule 4, Patent Rule 1972) Patent Office, Calcutta.

6 Claims

A continuously advancing track maintenance machine for consolidating the ballast bed of a railway track comprising an axle drive and a machine frame which is supported by two undercarriages arranged at a distance from one another and which comprises at least one track stabilizer arranged between the two undercarriages and designed for actuation and vertical adjustment by drives with roller tools designed for application to the insides of the rails by spreading drives and for vibration by vibrators, and further comptising a levelling and, optionally, lining reference system for monitoring the difference or lowering value and, optionally, the lining between the set and actual position of the track, characterized in that a planning and ballast plough arrangement (25, 32; 60, 61) mounted on the machine frame (5; 52) for vertical displacement and for lowering onto the track

under the power of drives (27, 31) and extending at least from one alcoper end zone to the opposite eleper end zone

is associated with, and precedes, at least one track stabilizer (13; 59) between the two undercarriages (8; 4).



Compl. Specn. 20 Pages. Drgns. 1 Sheet.

Cl.; 32 CE; 55 E 4.

171530

Int. Cl.: C 07 G 3/00; A 61 K 27/00.

"PROCESS FOR THE PREPARATION OF A MIXTURE OF GANGLIOSIDES".

Applicant: FIDIA S.P.A. of Via Ponte della Fabbrica 3/A 35031 Abano Terme Italy.

Inventors: (1) FRANCESCO DELLA VALLE, (2) LANFRANCO CALLEGARO, (3) SILVANA LORENZI.

Application No. 952/Cal/1990; filed on November 13, 1990.

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rule 1972) Patent Office, Calcutta.

#### 12 Claims

A process for the preparation of a mixture of gangliosides such as herein described which comprises:

- (a) subjecting ganglioside-containing tissue to lipid elimination with acetone to produce an acetone precipitate.
- (b) suspending said acctone precipitate in a first solvent mixture of methylene chloride, methanol and sodium hydroxide capable of partitioning hydrophobic substances from hydrophilic substances;
- (c) filtrating said partitioning mixture to obtain a first liquid phase;

- (d) subjecting said first liquid phase to precipitation using acetone and an alkaline earth metal salt such as calcium chloride to obtain a first raw material;
- (e) solubilizing said first raw material in an aqueous organic solvent and subjecting the solubilized first raw material to heating at a pH of about 12;
- (f) subjecting said heated solubilized first raw material to a second partitioning in a second solvent mixture or aqueous organic solution capable of partitioning hydrophobic substances from hydrophilic substances;
- (g) separating said second partitioning mixture to remove an organic phase and retain an aqueous phase;
- (h) subjecting said aqueous phase to precipitation to produce a second raw material using acctone and an alkalisalt such as sodium chloride;
- (:) solubilizing said second raw material which is subjected to cooling to produce a third raw material.
  - (j) solubilizing said third raw material in a base;
  - (k) neutralizing said solubilized third raw material; and
- (1) subjecting said neutralized solubilized third raw material to dialysis through a membrane with a molecular weight cut off of about 10kd to produce a ganglioside mixture.

Compl. Specn. 45 Pages. Drgns. 7 Sheets.

PATENTS SEALED	Numbe	ers					Date
ON 09-10-1992	161629						
4040	161644						
169196* 169311 169313 169320 169404 169413 169416	161649 161193						
169417 169422 169425	161207						
Cal-Nil, Del-Nil, Mas-08 & Bom-02	161209						
*Patent shall be deemed to be endorsed with the words	161616						
"I ICENCE OF RIGHT" Under Section 87 of the Patents	161263						
Act, 1970 from the date of expiration of three years from	161535	í					
the date of sealing.	161291						
- AMENDMENT PROCEEDING UNDER SECTION 57	161372						
AMENDMENT PROCEEDING UNDER SECTION ST	161376						
Notice is hereby given that SCHUBERT & SALZER	161391						
MASCHINENFABRIK AKTIENGESELLSCHAFT, A GERMAN COMPANY, OF FRIEDRICH-EBERT STRASSE	161509 161542						
84. 8070 INGOLSTADT, GERMANY, have made an appli-	161543						
eation under Section 57 of the Patents Act, 1970, for amend-	161611						
ment of application and specification of their application for Patent No. 166492 for A METHOD AND AN APPA-	161689						
RATUS FOR THREAD JOINING IN AN OPEN END	161690						
SPINNING APPARATUS. The amendments are by way of correction. The application for amendments and the pro-	160698	;					
posed amendments can be inspected free of charges at the	160793						
Patent Office Branch, 61, Wallajah Road, Madras-600 002,	160827						
or copies of the same can be had on payment of the usual copying charges. Any person interested in opposing the	160840						
application for amendment may file a notice of Opposition	160994						2-1-92
on the prescribed Form-30 within 3 months from the date of the Notification at the Patent Office, Madras-2. If the	160996 1610 <i>5</i> 6						
Written Statement of Opposition is not filed with the Notice	160763						
of Opposition, it shall be left within one month from the	160839						
date of filing the said Notice.	160852						
The amendments proposed by LUCKY BIOTECH COR-	161177						
PORATION of 4560 Horton Street, Emeryville, California	160873						
94608, United States of America in respect of Patent appli- cation No. 168525 as advertised in Part III, Sec. 2 of the	161055						
Gazette of India dated the 16th May, 1992 have been	161082						
allowed.	160879						
Notice is hereby given that AMPEX CORPORATION, of	160910						
401 Broadway, M.S. 3-35, Redwood City, California 94063-	160955						
3199, U.S.A., a U.S. COMPANY, have made an application under Section 57 of the Patents Act, 1970, for amendment	161007 161047						
of application and specification of their application for Patent	161047						
No. 368/Mas/87 (169906) for MAGNETIC RECORD MEDIUM.	161061						
MEDIOM.	161179						
The amendments are by way of correction. The applica-	161100						
tion for amendments and the proceed amendments can be inspected free of charge at the Patent Office Branch, 61,	161103						
Wallajah Road, Madras-600 002, or copies of the same can	161104						
be had on payment of the usual copying charges. Any person interested in opposing the application for amendment	161109						
may file a Notice of Opposition on the prescribed Form-30	161151						
within 3 months from the date of the Notification at the	160744						
Patent Office, Madras-2. If the Written Statement of Opposition is not filed with the Notice of Opposition. It shall	160849 161001						
be left within one month from the date of filing the said	161078						
Notice.	161117						
	161180						
EMPARCEMENT OF RATEMER WHILE BUT WOMEN	161182						
ENDORSEMENT OF PATENTS WITH THE WORDS "LICENCE OF RIGHT" UNDER SECTION 87 OF THE PATENTS ACT—1970	161865 160918						
Numbers Date			RENEV	VAL FEI	ES PAID		
161386 2-1-92	149621	149716	150473	151149	151372	151468	152315
161421	153328	153625		153794			155442
161512	155448	155595		155618	155619	155714	
161691	156092	156315	156348	157065	157204	157387	157483
161220	157607	157608	157695	157802	157917		158899
161230	158900		159044	159045	159101	159180	159192
161245	159244 160333		159460 160464	159651 160 <b>5</b> 86	159813 160635	160331 160730	160332 160954
161 <b>264</b> 161 <b>31</b> 6	161132		161393		161723	161735	160954 162053
TATARA	2021 <i>24</i>	40450/		~~ x x 200	A-CRIMO		**************************************

162137	162234	162235	162334	162337	162388	162738	
162911	162914	163106	163128	163352	163760	163811	
164223	164714	165033	165121	165234	165306	165307	
165309	165483	165515	165666	165718	165776	165783	
165806	165820	165872	165874	165876	165877	165895	
166019	166057	166231	166232	166233	166234	166235	
166238	166251	166282	166292	166293	166357	166359	
166398	166403	166404	166443	166487	166488	166606	
166645	167099	167114	167122	167202	167206	167218	
167244	167347	167392	167515	167516	167546	167848	
167549	167579	167596	167597	16760 <del>6</del>	167701	167740	
167804	167843	167883	167944	168015	168031	168038	
168121	168128	168361	168365	168472	168581	168584	
168595	168699	168744	168748	168889			

#### CESSATION OF PATENTS

158560	158562	158566	158568	158569	158572	158574
158576	158578	158579	158583	158591	158595	158599
158600	158601	158603	158604	158605	158609	158611
158613	158615	158619	158620	158621	158624	158630
158631	158634	158637	158641	158644	158645	158656
158658	158663	158668	158673	158675	158676	158677
158678	158681	158684	158685	158686	158688	158691
158692	158693	158695	158702	158709	158710	158711
158712	158715	158716	158717	158718	158722	158726.

# REGISTRATION OF DESIGNS

The following designs have been registered. The are not open to inspection for a period of two years from the date of registration except as provided for in Section 50 of the Designs Act, 1911.

The date shown in the each entries is the date of the registration of the design included in the entry.

- Class 1. Nos. 164277 to 164280. Sony Corporation of 6-7-35, Kitashinagawa 6-chome, Shinagawa-ku, Tokyo, Japan. "Shutter for an optical disc cartridge". April 20, 1992.
- Class 3. No. 164270. ABM Hi-Tech Products, registered partnership firm of 3, Maydi Plot, Rajkot-360004. Gujarat, India. "Trigger Housing". April 20, 1992.
- Class 3. No. 164694. Plastic Dies Company of Krishna Bhavan, 22-B, Govandi Station Road, Deonar, Bombay-400088, Maharashtra, India. "Base for mixer cum grinder cum food processor". August 26, 1992.

COPYRIGHT EXTENDED FOR THE 2ND PERIOD OF FIVE YEARS

Nos. 159364 and 159437

Class 3.

R. A. ACHARYA Controller General of Patents, Designs and Trade Marks